

Applicants : Philip Livingston and Friedhelm Helling  
Serial No. : 08/196,154  
Filed : June 7, 1995  
Page 2

Cont  
amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a ceramide-derived carbon.--

---

--87. (New) A composition comprising a GM2 or a GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a carbon derived from a cleavage of a double bond in the ceramide portion of the ganglioside.--

GD2  
--88. (New) A composition comprising a GM2 or a GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a carbon derived from a ceramide double bond to Keyhole Limpet Hemocyanin or a derivative thereof.--

--89. (New) A composition comprising a GM2 or a GD2 ganglioside conjugated through the ceramide portion of

Applicants : Philip Livingston and Friedhelm Helling  
Serial No. : 08/196,154  
Filed : June 7, 1995  
Page 3

the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside involves a ceramide double bond of the ganglioside and a reactive amine group of Keyhole Limpet Hemocyanin or a derivative thereof.--

--90. (New) A composition comprising a GM2 or a GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside involves a ceramide double bond of the ganglioside and an aminolysl group of Keyhole Limpet Hemocyanin or a derivative thereof.-

D<sup>2</sup>  
cont

--91. (New) A composition comprising a GM2 or a GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier.--

Applicants : Philip Livingston and Friedhelm Helling  
Serial No. : 08/196,154  
Filed : June 7, 1995  
Page 4

--92. (New) A method of stimulating or enhancing antibody production in a subject which comprises administering to the subject an effective amount of a composition comprising a GM2 or GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a ceramide-derived carbon.--

*D<sup>2</sup> Kont* --93. (New) A method of stimulating or enhancing antibody production in a subject which comprises administering to the subject an effective amount of a composition comprising a GM2 or GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a carbon derived from a cleavage of a double bond in the ceramide portion of the ganglioside.--

--94. (New) A method of stimulating or enhancing antibody production in a subject which comprises administering to the subject an effective amount of a composition comprising a GM2 or GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole

Applicants : Philip Livingston and Friedhelm Helling  
Serial No. : 08/196,154  
Filed : June 7, 1995  
Page 5

Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside is through a carbon derived from a ceramide double bond to Keyhole Limpet Hemocyanin or a derivative thereof.--

D2  
Cont

--95. (New) A method of stimulating or enhancing antibody production in a subject which comprises administering to the subject an effective amount of a composition comprising a GM2 or GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to stimulate or enhance antibody production in a subject, and a pharmaceutically acceptable carrier, wherein the conjugation of the ganglioside involves a ceramide double bond of the ganglioside and a reactive amine group of Keyhole Limpet Hemocyanin or a derivative thereof.--

--96. (New) A method of stimulating or enhancing antibody production in a subject which comprises administering to the subject an effective amount of a composition comprising a GM2 or GD2 ganglioside conjugated through the ceramide portion of the ganglioside to Keyhole Limpet Hemocyanin or a derivative thereof and a carbohydrate derivable from the bark of a Quillaja saponaria Molina tree, the amounts of such conjugated ganglioside and such carbohydrate being effective to